AUTHOR INDEX

Akin, D.E. (Athens, GA, U.S.A.)
Association of rumen fungi with various forage grasses 273
Alvira, P., *see* Rebolé, A. and Alvira, P.
Amaning-Kwarteng, K., Kellaway, R.C. (Camden, N.S.W., Australia), Spragg, J.C. (Tamworth, N.S.W., Australia) and Kirby, A.C. (Sidney, N.S.W., Australia)
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets. 75
Ashbell, G., *see* Levy, D. et al.
Ballance, G.M., *see* Campbell, G.L. et al.
Bar-Tsur, A., *see* Levy, D. et al.
Barber, W.P., *see* Givens, D.I. and Barber, W.P.
Bartsch, B.D., *see* Valentine, S.C. and Bartsch, B.D.
Berkovitz, S., *see* Levy, D. et al.
Bertrand, D., *see* Robert, P. et al.
Boucqué, C.H.V., *see* Fiems, L.O. et al.
Butterworth, M.H. and Mosi, A. (Addis Ababa, Ethiopia)
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Buysse, F.X., *see* Fiems, L.O. et al.
Caballero, R., *see* Treviño, J. et al.
Campbell, G.L., Sosulski, S.W., Classen, H.L. (Saskatoon, Sask., Canada) and Ballance, G.M. (Winnipeg, Manitoba, Canada)
Nutritive value of irradiated and β-glucanase-treated wild oat groats (*Avena fatua* L.) for broiler chickens 243
Centeno, C., *see* Treviño, J. et al.
Classen, H.L., *see* Campbell, G.L. et al.
Cottyn, B.G., *see* Fiems, L.O. et al.
Demarquilly, C., *see* Robert, P. et al.
Ehle, F.R., *see* Hannah, S.M. et al.
Fay, J.P. and Overjero, F.M.A. (Balcarce, Argentina)
Effect of lactate on the in vitro digestion of *Agropyron elongatum* by rumen microorganisms. 161
Fiems, L.O., Cottyn, B.G., Boucqué, CH.V. and Buysse, F.X. (Melle-Gontrode, Belgium)
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance. 287
Findlay, M., *see* Partridge, G.G. et al.
Fonnesbeck, P.V., Garcia de Hernandez, M.M., Kaykay, J.M. and Saiady, M.Y. (Logan, UT, U.S.A.)
Estimating yield and nutrient losses due to rainfall on field drying alfalfa hay. 7
Fordyce, R.A., *see* Partridge, G.G. et al.
Garcia de Hernandez, M.M., *see* Fonnesbeck, P.V. et al.
Givens, D.I. (Stratford-on-Avon, Gt. Britain) and Barber, W.P. (London, Gt. Britain)
Nutritive value of apple pomace for ruminants 311
Håkansson, J., *see* Lund, S. and Håkansson, J.
Hannah, S.M., Stern, M.D. and Ehle, F.R. (St. Paul, MN, U.S.A.)
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products. 51

Higgins, T.R. and Spooner, A.E. (Fayetteville, AR, U.S.A.)
Microwave drying of alfalfa compared to field- and oven-drying: effects on forage quality 1
Holzer, Z., *see* Levy, D. et al.
Hulan, H.W., Proudfoot, F.G. (Kentville, Nova Scotia, Canada) and Zarkadas, C.G. (Quebec, Canada)
The effect of adding white fish meal containing enzyme digested or untreated stickwater solids to diets for broiler chickens 253
Husain, R.A.K. and Offer, N.W. (Ayr, Gt. Britain)
Effect of formaldehyde treatment on the degradation of acid-preserved fish silage protein in vitro 297
Ilan, D., *see* Levy, D. et al.
Istasse, L., Smart, R.I. and Ørskov, E.R. (Aberdeen, Gt. Britain)
Comparison between two methods of feeding concentrate to sheep given a diet high or low in concentrate with or without buffering substances. 37
Kali, J., *see* Levy, D. et al.
Kaykay, J.M., *see* Fonnesbeck, P.V. et al.
Kellaway, R.C., *see* Amaning-Kwarteng, K. et al.
Kies, A.K., Moughan, P.J. and Smith, W.C. (Palmerston North, New Zealand)
The apparent and true ileal digestibility of nitrogen and amino acids in lactic casein for the growing pig 169
Kirby, A.C., *see* Amaning-Kwarteng, K. et al.
Kirchgessner, M., *see* Kreuzer, M. et al.
Kreuzer, M. (Freising-Weihenstephan, F.R.G.)
Book review of *Ruminant Nitrogen Usage*, National Research Council. 158
Kreuzer, M., Kirchgessner, M. and Müller, H.L. (Wiehenstephan, F.R.G.)
Effect of defaunation on the loss of energy in wethers fed different quantities of cellulose and normal or steamflaked maize starch. 233
Leeson, S., *see* Summers, J.D. and Leeson, S.
Leng, R.A., *see* Sudana, I.B. and Leng, R.A.
Levy, D., Bar-Tsur, A., Holzer, Z., Samuel, V. (Newe Ya'ar, Israel), Ashbell, G., Lisker, N. (Bet Dagan, Israel), Ilan, D., Berkovitz, S. and Kali, J. (Ministry of Agriculture, Israel)
High grain content maize silage in fattening diets of young male cattle. 63
Lisker, N., *see* Levy, D. et al.
Lund, S. and Håkansson, J. (Uppsala, Sweden)
Nutritional and growth studies with pea-crop meals and peas for growing—finishing pigs 119
McGinn, R. and McLellan, A.R. (Edinburgh, Gt. Britain)
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203
McLellan, A.R., *see* McGinn, R. and McLellan, A.R.
Minson, D.J. (Brisbane, Qld., Australia)
Book review of *Nutrition of Grazing Ruminants in Warm Climates*, Lee Russell McDowell (Editor). 157
Moran, J.B., *see* Thompson, C. and Moran, J.B.
Mosi, A., *see* Butterworth, M.H. and Mosi, A.
Moughan, P.J., *see* Kies, A.K. et al.
Müller, H.L., *see* Kreuzer, M. et al.
Njoku, P.C. (Zaria, Nigeria)
Effect of dietary ascorbic acid (vitamin C) supplementation on the performance of broiler chickens in a tropical environment. 17
Offer, N.W., *see* Husain, R.A.K. and Offer, N.W.

Onwudike, O.C. (Ile-Ife, Nigeria)
Palm kernel meal as a feed for poultry. 1. Composition of palm kernel meal and availability of its amino acids to chicks 179
Onwudike, O.C. (Ile-Ife, Nigeria)
Palm kernel meal as a feed for poultry. 2. Diets containing palm kernel meal for starter and grower pullets. 187
Onwudike, O.C. (Ile-Ife, Nigeria)
Palm kernel meal as a feed for poultry. 3. Replacement of groundnut cake by palm kernel meal in broiler diets. 195
Ørskov, E.R., *see* Istasse, L. et al.
Ovejero, F.M.A., *see* Fay, J.P. and Overjero, F.M.A.
Papadopoulos, M.C. (Wageningen, The Netherlands)
The effect of enzymatic treatment on amino acid content and nitrogen characteristics of feather meal 151
Partridge, G.G., Findlay, M. and Fordyce, R.A. (Aberdeen, Gt. Britain)
Fat supplementation of diets for growing rabbits. 109
Proudfoot, F.G., *see* Hulan, H.W. et al.
Rebolé, A. and Alvira, P. (Madrid, Spain)
Composition of vine branches with leaves of *Vitis vinifera* L. fresh and ensiled using different additives (previous results) 89
Robert, P., Bertrand, D. (Nantes, France) and Demarquilly, C. (Ceyrat, France)
Prediction of forage digestibility by principal component analysis of near infrared reflectance spectra 215
Saiady, M.Y., *see* Fonnesbeck, P.V. et al.
Samuel, V., *see* Levy, D. et al.
Smart, R.I., *see* Istasse, L. et al.
Smith, W.C., *see* Kies, A.K. et al.
Sosulski, S.W., *see* Campbell, G.L. et al.
Spooner, A.E., *see* Higgins, T.R. and Spooner, A.E.
Spragg, J.C., *see* Amaning-Kwarteng, K. et al.
Stern, M.D., *see* Hannah, S.M. et al.
Sudana, I.B. and Leng, R.A. (Armidale, N.S.W., Australia)
Effects of supplementing a wheat straw diet with urea or a urea—molasses block and/or cottonseed meal on intake and liveweight change of lambs 25
Summers, J.D. and Leeson, S. (Guelph, Ontario, Canada)
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age. 129
Thompson, C. (Parkville, Vic., Australia) and Moran, J.B. (Kyabram, Vic., Australia)
The rate of dry matter disappearance from nylon bags of maize silage grain diet as influenced by basal ration and processing of test samples. 225
Treviño, J., Centeno, C. and Caballero, R. (Madrid, Spain)
The chemical composition of pea plant parts related to harvesting time 305
Valentine, S.C. and Bartsch, B.D. (Adelaide, S.A., Australia)
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143
Valentine, S.C. and Bartsch, B.D. (Adelaide, S.A., Australia)
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Zarkadas, C.G., *see* Hulan, H.W. et al.

SUBJECT INDEX

Acid preservation
Effect of formaldehyde treatment on the degradation of acid-preserved fish silage protein in vitro 297
Additives
Composition of vine-branches with leaves of *Vitis vinifera* L. fresh and ensiled using different additives (previous results) 89
Agropyron elongatum
Effect of lactate on the in vitro digestion of *Agropyron elongatum* by rumen microorganisms 161
Alfalfa
Microwave drying of alfalfa compared to field- and oven-drying: effects on forage quality 1
Alfalfa hay
Estimating yield and nutrient losses due to rainfall on field drying alfalfa hay 7
Amino acids
The effect of enzymatic treatment on amino acid content and nitrogen characteristics of feather meal 151
The apparent and true ileal digestibility of nitrogen and amino acids in lactic casein for the growing pig 169
Palm kernel meal as a feed for poultry. 1. Composition of palm kernel meal and availability of its amino acids to chicks 179
Apple pomace
Nutritive value of apple for ruminants 311
Ascorbic acid
Effect of dietary ascorbic acid (vitamin C) supplementation on the performance of broiler chickens in a tropical environment 17
Avena fatua L.
Nutritive value of irradiated and β-glucanase-treated wild oat groats (*Avena fatua* L.) for broiler chickens 243
Avotan
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203
Bacteria
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets 75
Bacterial fermentation
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products 51
Barley
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Broiler chickens
Effect of dietary ascorbic acid (vitamin C) supplementation on the performance of broiler chickens in a tropical environment 17
Palm kernal meal as a feed for poultry. 3. Replacement of groundnut cake by palm kernal meal in broiler diets 195
Nutritive value of irradiated and β-glucanase-treated wild oat groats (*Avena fatua* L.) for broiler chickens 243
The effect of adding white fish meal containing enzyme digested or untreated

stickwater solids to diets for broiler chickens 253
Buffering substances
Comparison between two methods of feeding concentrate to sheep given a diet high or low in concentrate with or without buffering substances. 37
Calves
Effects of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance 287
Cattle
High grain content maize silage in fattening diets of young male cattle. 63
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets. 75
Digestibility of dry matter nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143
Cellulose
Effect of defaunation on the loss of energy in wethers fed different quantities of cellulose and normal or steamflaked maize starch. 233
The chemical composition of pea plant parts as related to harvesting time 305
Chemical composition
Composition of vine-branches with leaves of *Vitis vinifera* L. fresh and ensiled using different additives (previous results) 89
The chemical composition of pea plant parts as related to harvesting time 305
Chickens
Effect of dietary ascorbic acid (vitamin C) supplementation on the performance of broiler chickens in a tropical environment. 17
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age. 129
Palm kernel meal as a feed for poultry. 1. Composition of palm kernel meal and availability of its amino acids to chicks 179
Palm kernel meal as a feed for poultry. 3. Replacement of groundnut cake by palm kernel meal in broiler diets 195
Nutritive value of irradiated and β-glucanase-treated wild oat groats (*Avena fatua* L.) for broiler chickens 243
The effects of adding white fish meal containing enzyme digested or untreated stickwater solids to diets for broiler chickens 253
Concentrate
Comparison between two methods of feeding concentrate to sheep given a diet high or low in concentrate with or without buffering substances. 37
Consumption
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age. 129
Cottonseed meal
Effects of supplementing a wheat straw diet with urea or a urea-molasses block and/or cottonseed meal on intake and liveweight change of lambs 25
Cows
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products. 51
The rate of dry matter disappearance from nylon bags of maize silage/grain diets as influenced by basal ration and processing of test samples 225
Dairy cows
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143

Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Defaunation
Effect of defaunation on the loss of energy in wethers fed different quantities of cellulose and normal or steamflaked maize starch. 233
Digestibility
Comparison between two methods of feeding concentrate to sheep given a diet high or low in concentrate with or without buffering substances. 37
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products. 51
High grain content maize silage in fattening diets of young male cattle. 63
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets. 75
Composition of vine-branches with leaves of *Vitis vinifera* L. fresh and ensiled using different additives (previous results) 89
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Fat supplementation of diets for growing rabbits. 109
Nutritional and growth studies with pea-crop meals and peas for growing–finishing pigs 119
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143
The apparent and true ileal digestibility of nitrogen and amino acids in lactic casein for the growing pig 169
Prediction of forage digestibility by principal component analysis of near infrared reflectance spectra 215
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance. 287
Nutritive value of apple pomace for ruminants 311
Degradability
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products. 51
Dry matter
The rate of dry matter disappearance from nylon bags of maize silage/grain diets as influenced by basal ration and processing of test samples 225
Dual flow continuous culture system
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products. 51
Energy metabolism
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203
Enzymes
The effect of enzymatic treatment on amino acid content and nitrogen characteristics of feather meal 151
Faba bean
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Fat
Fat supplementation of diets for growing rabbits. 109
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age. 129
Fattening diets
High grain content maize silage in fattening diets of young male cattle. 63

Feather meal
The effect of enzymatic treatment on amino acid content and nitrogen characteristics of feather meal 151
Feeding methods
Comparison between two methods of feeding concentrate to sheep given a diet high or low in concentrate with or without buffering substances 37
Fermentation
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Fibre
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age. 129
Fibre digestion
Effect of lactate on the in vitro digestion of *Agropyron elongatum* by rumen microorganisms 161
Field-drying
Microwave drying of alfalfa compared to field- and oven-drying: effects on forage quality 1
Estimating yield and nutrient losses due to rainfall on field drying alfalfa hay 7
Fish meal
The effects of adding white fish meal containing enzyme digested or untreated stickwater solids to diets for broiler chickens 253
Fish silage
Effect of formaldehyde-treatment on the degradation of acid-preserved fish silage protein in vitro 297
Forage quality
Microwave drying of alfalfa compared to field- and oven-drying: effects on forage quality 1
Formaldehyde
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance. 287
Effect of formaldehyde-treatment on the degradation of acid-preserved fish silage protein in vitro 297
Formic acid
Effect of formaldehyde-treatment on the degradation of acid-preserved fish silage protein in vitro 297
Fungal colonization
Association of rumen fungi with various forage grasses 273
β-Glucanase
Nutritive value of irradiated and β-glucanase-treated wild oat groats (*Avena fatua* L.) for broiler chickens 243
Grain
High grain content maize silage in fattening diets of young male cattle. 63
Grasses
Association of rumen fungi with various forage grasses 273
Groundnut cake
Palm kernel meal as a feed for poultry. 3. Replacement of groundnut cake by palm kernel meal in broiler diets. 195
Growth
Nutritional and growth studies with pea-crop meals and peas for growing—finishing pigs 119
Growth promoter
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203

Guizotia abyssinica
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Gut capacity
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age. 129
Hammermilling
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143
Harvesting time
The chemical composition of pea plant parts as related to harvesting time 305
Hay
Comparison between two methods of feeding concentrate to sheep given a diet high or low in concentrate with or without buffering substances. 37
Hemicellulose
The chemical composition of pea plant parts as related to harvesting time 305
High-roughage diets
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets. 75
Ileum
The apparent and true ileal digestibility of nitrogen and amino acids in lactic casein for the growing pig 169
Intake
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets. 75
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Irradiation
Nutritive value of irradiated and β-glucanase-treated wild oat groats (*Avena fatua* L.) for broiler chickens 243
Lactate
Effect of lactate on the in vitro digestion of *Agropyron elongatum* by rumen microorganisms. 161
Lactin casein
The apparent and true ileal digestibility of nitrogen and amino acids in lactic casein for the growing pig 169
Lambs
Effects of supplementing a wheat straw diet with urea or a urea-molasses block and/or cottonseed meal on intake and liveweight change of lambs 25
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203
Lignin
The chemical composition of pea plant parts as related to harvesting time 305
Liveweight change
Effects of supplementing a wheat straw diet with urea or a urea-molasses block and/or cottonseed meal on intake and liveweight change in lambs. 25
Lupin
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Lupin grain
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or

hammermilled lupin grain in oaten hay or oaten pasture based diets. 143
Maize
The rate of dry matter disappearance from nylon bags of maize silage/grain diets as influenced by basal ration and processing of test samples 225
Maize silage
High grain content maize silage in fattening diets of young male cattle. 63
Maize stover
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Microwave drying
Microwave drying of alfalfa compared to field- and oven-drying: effects on forage quality 1
Modified-acid-detergent fibre
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Molasses
Effects of supplementing a wheat straw diet with urea or a urea-molasses block and/or cottonseed meal on intake and liveweight change of lambs 25
Nitrogen
The effect of enzymatic treatment on amino acid content and nitrogen characteristics of feather meal 151
Ruminant nitrogen usage (book review). 158
The apparent and true ileal digestibility of nitrogen and amino acids in lactic casein for the growing pig 169
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance. 287
Noug
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Nutrient density
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age. 129
Nutrient losses
Estimating yield and nutrient losses due to rainfall on field drying alfalfa hay. 7
Nutrition
Nutritional and growth studies with pea-crop meals and peas for growing—finishing pigs 119
Oat straw
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Oaten hay
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143
Oaten pasture
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143
Organic acids
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Oven-drying
Microwave drying of alfalfa compared to field- and oven-drying: effects on forage quality. 1

Palm kernel meal
Palm kernel meal as a feed for poultry. 1. Composition of palm kernel meal and availability of its amino acids to chicks 179
Palm kernel meal as a feed for poultry. 2. Diets containing palm kernel meal for starter and grower pullets. 187
Palm kernel meal as a feed for poultry. 3. Replacement of groundnut cake by palm kernel meal in broiler diets. 195
Pea
Nutritional and growth studies with pea-crop meals and peas for growing—finishing pigs 119
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
The chemical composition of pea plant parts as related to harvesting time 305
Pea-crop meals
Nutritional and growth studies with pea-crop meals and peas for growing—finishing pigs 119
Pigs
Nutritional and growth studies with pea-crop meals and peas for growing—finishing pigs 119
The apparent and true ileal digestibility of nitrogen and amino acids in lactic casein for the growing pig 169
Principal component analysis
Prediction of forage digestibility by principal component analysis of near infrared reflectance spectra 215
Protein
Effects of formaldehyde treatment on the degradation of acid-preserved fish silage protein in vitro 297
The chemical composition of pea plant parts as related to harvesting time 305
Protein synthesis
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets. 75
Protozoa
Effect of defaunation on the loss of energy in wethers fed different quantities of cellulose and normal or steamflaked maize starch. 233
Pullets
Palm kernel meal as a feed for poultry. 2. Diets containing palm kernel meal for starter and grower pullets. 187
Rabbits
Fat supplementation of diets for growing rabbits. 109
Rainfall
Estimating yield and nutrient losses due to rainfall on field drying alfalfa hay. 7
Rumen
Fermentation of hammermilled barley, lupin, pea and faba bean grain in the rumen of dairy cows 261
Rumen fermentation
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products. 51
Rumen fungi
Association of rumen fungi with various forage grasses 273
Rumen microorganisms
Effect of lactate on the in vitro digestion of *Agropyron elongatum* by rumen microorganisms. 161

Ruminants
Nutrition of grazing ruminants in warm climates (book review) 157
Ruminant nitrogen usage (book review) 158
Effect of lactate on the in vitro digestion of *Agropyron elongatum* by rumen microorganisms 161
Effect of defaunation on the loss of energy in wethers fed different quantities of cellulose and normal or steamflaked maize starch. 233
Nutritive value of apple pomace for ruminants 311
Ryegrass
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203
Sheep
Effects of supplementing a wheat straw diet with urea or a urea-molasses block and/or cottonseed meal on intake and liveweight change of lambs 25
Comparison between two methods of feeding concentrate to sheep given a diet high or low in concentrate with or without buffering substances. 37
Relative intakes, digestibility and bacterial protein synthesis by sheep and cattle fed high-roughage diets. 75
The intake and digestibility by sheep of oat straw and maize stover offered with different levels of noug (*Guizotia abyssinica*) meal 97
Effect of defaunation on the loss of energy in wethers fed different quantities of cellulose and normal or steamflaked maize starch. 233
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance. 287
Nutritive value of apple pomace for ruminants 311
Silage
High grain content maize silage in fattening diets of young male cattle. 63
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203
Soya acid oil
Fat supplementation of diets for growing rabbits. 109
Soya bean
Evaluation of a dual flow continuous culture system for estimating bacterial fermentation in vivo of mixed diets containing various soya bean products. 51
Soya bean meal
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance. 287
Spectroscopy
Prediction of forage digestibility by principal component analysis of near infrared reflectance spectra 215
Starch
Effect of defaunation on the loss of energy in wethers fed different quantities of cellulose and normal or steamflaked maize starch. 233
The chemical composition of pea plant parts as related to harvesting time 305
Starter diets
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance. 287
Stickwater solids
The effects of adding white fish meal containing enzyme digested or untreated stickwater solids to diets for broiler chickens 253
Stover
High grain content maize silage in fattening diets of young male cattle. 63

Sucrose
Energy metabolism in lambs fed silage diets with sucrose or a growth promoter 203
Supplementation
Fat supplementation of diets for growing rabbits 109
Tallow
Fat supplementation of diets for growing rabbits 109
Tropics
Effect of dietary ascorbic acid (vitamin C) supplementation on the performance of broiler chickens in a tropical environment 17
Turkeys
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age 129
Urea
Effects of supplementing a wheat straw diet with urea or a urea-molasses block and/or cottonseed meal on intake and liveweight change of lambs 25
Effect of formaldehyde-treated soya bean meal and urea in starters on nitrogen quality, degradability in sacco, sheep digestibility and calf performance 287
Vine-branches
Composition of vine-branches with leaves of *Vitis vinifera* L. fresh and ensiled using different additives (previous results) 89
Vitamin C
Effect of dietary ascorbic acid (vitamin C) supplementation on the performance of broiler chickens in a tropical environment 17
Vitis vinifera
Composition of vine-branches with leaves of *Vitis vinifera* L. fresh and ensiled using different additives (previous results) 89
Warm climates
Nutrition of grazing ruminants in warm climates (book review) 157
Weight gain
Influence of nutrient density on feed consumption, weight gain and gut capacity of broilers, Leghorns and turkeys reared to 26 days of age 129
Wheat straw
Effects of supplementing a wheat straw diet with urea or a urea-molasses block and/or cottonseed meal on intake and liveweight change of lambs 25
Whole grain
Digestibility of dry matter, nitrogen and energy by dairy cows fed whole or hammermilled lupin grain in oaten hay or oaten pasture based diets 143
Wild oat groats
Nutritive value of irradiated and β-glucanase-treated wild oat groats (*Avena fatua* L.) for broiler chickens 243
Yield
Estimating yield and nutrient losses due to rainfall on field drying alfalfa hay 7